

ORISON

IceClear® PGX

Propylene Glycol Replacement

IceClear® PGX is a highly refined, bio-based alternative to petroleum derived propylene glycol (PG). IceClear® PGX can be used as delivered or diluted to achieve desired results. IceClear® PGX is a cost effective substitute for PG in many commercial, industrial and agricultural applications, including the following:

- Heat Transfer Fluids
- Freeze Conditioners
- Coal and Ore Treatments
- Deicing Fluids
- Antifreeze/Coolant Formulations
- Hydraulic Fluids
- Dust Suppressants
- Frost Protectant for Agricultural Products (e.g. Fruits)



NSF registered and acceptable for use where there is possibility of incidental food contact (HT1).




Figure 1. Performance Comparison - Freezing Point of IceClear® PGX vs. Propylene Glycol

IceClear® PGX is available with a corrosion inhibitor added for closed loop systems as **IceClear® Anti-Freeze (AF)**.

Derived from agricultural materials or bio-based processes, this environmentally friendly product is engineered to match the freezing point performance of conventional antifreeze products based on glycols (see Figure 1), but with the following advantages:

Cost-effective. IceClear® PGX is formulated from complex carbohydrates derived from renewable resources and/or process side streams that facilitate cost-effective and not subject to the market swings of glycols.

Better Physical Properties. IceClear® PGX is more viscous than conventional antifreeze materials. As such, it adheres to particle surfaces and clings to transportation and conveying equipment with little run-off and settling. This prevents freezing, clumping and sticking, and keeps product moving freely.

Won't Dry Out. Due to its viscous nature and hygroscopic character, IceClear® PGX will not dry out after initial application, making it effective for extended periods of time as an antifreeze and a dust suppressant.

Environmentally Friendly. IceClear® PGX is non-toxic, contains no salts, heavy metals or solvents, it is non-corrosive, fully biodegradable (with a lower BOD/COD than glycol), and it will not affect combustion processes.

Typical Properties

- Color: Clear Liquid
- Odor: Mild
- pH: 7
- Water Solubility: 100%
- Specific Gravity: 1.15
- Viscosity @ 20°C (cSt): 11.0
- Freeze Point: -34 °C (-30 °F)

IceClear® PGX %	Brix Value (Refractometer)	Freeze Point °F / °C	Boiling Point °F / °C	Specific Heat @ 35° F	Viscosity cSt @ 68° F (20° C)
100	46.6	-30° / -34°	228° / 109°	.74	11
90	42.5	-17° / -27°	225° / 107°	.775	8
80	38.4	-8° / -22°	222° / 106°	.804	6
70	34.1	0° / -18°	220° / 104°	.826	5
60	30.2	7° / -14°	218° / 103.5°	.848	3
50	25.6	13° / -10°	217° / 103°	.866	2.5

HMIS	
HEALTH	0
FLAMMABILITY	0
INSTABILITY	0
SPECIFIC	0

4801 South Danville Drive * Abilene, TX 79602 * Ph. 325.692.1135 * Fax 325.690.0569
 Commercial: www.orisonmarketing.com Gov't/Military: www.orisonllc.com

IceClear PGX or AFThermal Conductivity
Gram Calories, Second, -1cm, -2C, -1cm(2)

By Weight					a20(1)%				
%	10C	20C	30C	40C	50C	60C	70C	80C	C-1
0	0.00138	0.00138	0.00138	0.00138	0.00138	0.00138	0.00138	0.00138	0.26
25	0.00125	0.00128	0.00131	0.00134	0.00137	0.0014	0.00143	0.00146	0.23
50	0.00112	0.00115	0.00117	0.0012	0.00122	0.00124	0.00126	0.00129	0.20
75	0.00102	0.00103	0.00105	0.00106	0.00108	0.0011	0.00111	0.00113	0.15
100	0.00090	0.00091	0.00091	0.00092	0.00093	0.00094	0.00095	0.00096	0.10

The product data provided by Orison Marketing is based upon information Orison Marketing believes reliable and is supplied for informational purposes only. Orison Marketing disclaims any liability for damage or injury which results from the use of the data and/or the product and nothing contained herein shall constitute a guarantee, warranty (including warranty of merchantability or fitness for a particular purpose) or representation (including freedom from patent liability) by Orison Marketing with respect to the accuracy or completeness of the data, the product described, or their use for any specific purpose, even if that purpose is known to Orison Marketing. The final determination of the suitability of the information, the manner of use of the information and/or product and potential infringement of patents is the sole responsibility of the user. User assumes all liability.